

Technical Data Specification Sheet

300CC Self Reliance Type Deoxidant

- Product 300CC Self Reliance Type Deoxidant
- **Product Code** 30XSR005A

Iron powder, water, silicon dioxide, active carbon and mixed salt **Raw Material**

Packaging PET/Fiber Paper/PE

Comply with FDA 21cfr 177.1520 regulation of contacting with food directly Material

60±3mm

60±3mm

	Items	Standard
	Appearance	The surface of desiccant bag should not have damage or obvious discoloration, with the flat paper. The printing is clear without stains.
	Nominated Oxygen Absorption Duration	≤48h
	Maximum Oxygen Absorption Quantity	≥900ml
	* Lead (Pb)	≤10mg/kg
Technical	* Arsenic (As)	≤5mg/kg
Standard	Total aerobe count	$\leq 10^3$ cfu / bag
	Escherichia coli	Not detectable per bag
	Pathogenic bacteria (salmonella, shigella, glucose aureus)	Not detectable per bag
Sachet	Gross Weight: 7.2~8.8g	

Sealing Method	3 Sides Seal

Printing

Dimension

Wiseoxy

Width:

Length:





Technical Data Specification Sheet

300CC Self Reliance Type Deoxidant

STD Packaging— 25pcs/PE bag, 250pcs/10PE bags/zip bags, 750pcs/3 zip bags/pail
Pail Size: Φ 275*345mm, 48pails/pallet
—Carton label contains the following:
PO Number
Product Name
Specification
Quantity
Batch Number
MADE IN USA

 Storage
 Shelf life: 3 years

 Deoxidant must always be kept in airtight containers to avoid moisture, mix with volatile materials, contact with acid, alkali, etc.

Notes The data given here is based on current knowledge and experience. This document is designed to describe the products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance. User is liable for his own operation.

2023-02-14

