

Technical Data Specification Sheet

Kraft Paper Packed 8G Humidity Control Pouch

Product Kraft Paper Packed 8G Humidity Control Pouch

Product Code 3MCKF001A

Raw Material Mixed Salt

Packaging Material Kraft Paper Coated Film

Technical Standard

Items	Standard
Appearance	The surface of desiccant bag should not have damage or obvious discoloration, with the flat paper. The printing is clear without stains.
Humidity regulator range 25°C	±5% nominal humidity control capacity
Balance Time	≤24h
Dropping resistance	In the case of free falling of 15 times at a height of 1.2m or more, the desiccant bag shall not be broken or have the damage of enabling the adsorbent to leak.
Total residual solvents	≤5mg/m ²
Benzene residues	Not detectable
Total bacterial count (cfu / bag)	≤10 ³
Mould and yeast count (cfu / bag)	≤10 ²
Escherichia coli	Not detectable per bag

Sachet Dimension
 Net Weight: 7.6~8.8g
 Width: 65±3mm
 Length: 80±4mm

Sealing Method 3 Sides Seal

Printing Moiskon



Technical Data Specification Sheet

Kraft Paper Packed 8G Humidity Control Pouch

STD Packaging — 700pcs/PE bag/pail
Pail Size: $\varnothing 275 \times 345$ mm, 48 pails/pallet
—Carton label contains the following:
PO Number
Product Name
Specification
Quantity
Batch Number
MADE IN USA

Storage Shelf life: 2 years
Desiccant must always be kept in airtight containers to avoid moisture.

Notes The data given here is based on current knowledge and experience. This document is designed to describe the products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance. User is liable for his own operation.

2023-02-14

