

Technical Data Specification Sheet

20*30mm Fiber Desiccant

Product 20*30mm Fiber Desiccant

Product Code 5CCPL001A

Raw Material Calcium Chloride

Fiber Sheet

Packaging PET Film

Material Comply with FDA 21cfr 177.1520 regulation of contacting with food directly

Items		Standard
Appearance		The surface of desiccant bag should not have damage or obvious discoloration, with the flat paper. The printing is clear without stains.
Weight		$600\pm30 \text{g/m}^2$
Loss on Drying (120°C)		≤8.0%
Moisture adsorption capacity 25°C	RH=20%	≥9.0%
	RH=50%	≥20.0%
	RH=90%	≥50.0%
Infiltration Test $25\pm2^{\circ}\text{C}$, RH = $90\pm2\%$		No liquid
*Heavy Metal (Pb)		≤1mg/kg
Total bacterial count (cfu / bag)		$\leq 10^{3}$
Mould and yeast count (cfu / bag)		$\leq 10^{2}$
Escherichia coli		Not detectable per bag

Technical Standard

SachetThickness: 1.0 ± 0.1 mmDimensionWidth: 20 ± 1 mmLength: 30 ± 2 mm

Printing WiseFresh

STD Packaging — 6000pcs/PE bag, 24000pcs/4PE bags/carton

Carton Size: 370×275×250 mm, 48ctns/pallet

—Carton label contains the following:

PO Number Product Name Specification Quantity Batch Number





Technical Data Specification Sheet

20*30mm Fiber Desiccant

Storage Shelf life: 1 year

Desiccant must always be kept in airtight containers to avoid moisture.

Notes The product couldn't contact with aqueous and fatty foods directly.

The data given here is based on current knowledge and experience. This document is designed to describe the products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance. User is liable

for his own operation.

2023-02-14

